JF-IETF-RFC3327

隣接していないコンタクトを登録するためのセッション開始プロトコル(SIP)の拡張ヘッ ダフィールド

.<概要>

本標準は、プロキシを経由して端末を REGISTER する場合の仕組みを定義する とともに、新規の SIP ヘッダ「Path」を規定する。

.<参考>

1. 国際勧告等との関係

本標準は、IETF において制定された RFC3327 に準拠している。

2.	追加項目等
۷.	但加强口寸

 スプション選択項目 特になし
ナショナルマター項目 特になし
先行した項目 特になし
4 付加した項目 特になし
削除した項目 特になし
約除した項目 特になし
約除した項目 特になし
約除した項目 特になし

JF-IETF-RFC3327

Session Initiation Protocol (SIP) Extension Header Field for Registering Non-Adjacent Contacts

< Overview >

This document defines an extension header field, "Path" which provides such a mechanism.

from RFC3327 © The Internet Society

. < References >

1. Relation with international standards

This standard just refers to IETF RFC3327.

2. Departures with international standards
2.1 Selection of optional items
None.
2.2 Definition of national matter items
None.
2.3 Early implementation items
None.
2.4 Added items
None.
2.5 Deleted items
None.
2.6 Others
None.

3.改版の履歴

版数	制定日	改版内容		
1.0	2007.3.15	制定		

4. 標準作成部門

信号制御専門委員会

. <本標準で規定する内容>

本標準で規定する内容は下記の IETF RFC による。

D. Willis, B. Hoeneisen, "Session Initiation Protocol (SIP) Extension Header Field for Registering Non-Adjacent Contacts ", RFC3327, December 2002.

3. Change history

Version	Date	Outline
1.0	2007.3.15	Published

4. Working Group that developed this standard Signaling Working Group

. < Normative Reference >

This standard just refers to the following IETF RFC.

D. Willis, B. Hoeneisen, "Session Initiation Protocol (SIP) Extension Header Field for Registering Non-Adjacent Contacts ", RFC3327, December 2002.