





被干渉: G.992.2 AnnexA/C

換算線路長 [km]	干渉なし		自己雑音 (周提供)		与干渉源線															
	DS		US		G.992.2		Annex F (電話雑音)		Annex F (SDN雑音)		Annex F (1.1MHz以下Off)		M2 (SDN雑音)		M2 (1.1MHz以下Off)					
	DS	US	DS	US	DS	US	DS	US	DS	US	DS	US	DS	US	DS	US				
0	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832				
0.05	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832				
0.1	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832				
0.15	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832				
0.2	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832				
0.25	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832				
0.3	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832				
0.35	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832				
0.4	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832				
0.45	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832				
0.5	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832				
0.75	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832	3008	832				
1	3008	832	3008	832	2944	832	3008	832	3008	832	3008	832	3008	832	3008	832				
1.25	3008	832	3008	832	2752	832	3008	832	3008	832	3008	832	3008	832	3008	832				
1.5	3008	832	2976	832	2432	832	3008	832	3008	832	3008	832	3008	832	3008	832				
1.75	3008	832	2976	832	2080	832	3008	832	3008	832	3008	832	3008	832	3008	832				
2	3008	832	2976	832	1632	832	2976	832	3008	832	3008	832	3008	832	3008	832				
2.25	3008	832	2944	832	1184	832	2848	832	3008	832	3008	832	2976	832	3008	832				
2.5	3008	832	2912	832	832	832	2656	832	3008	832	3008	832	2976	832	3008	832				
2.75	3008	832	2880	800	576	800	2400	832	3008	832	3008	832	2912	832	3008	832				
3	3008	832	2784	800	384	800	2080	832	3008	832	3008	832	2848	832	3008	832				
3.25	3008	832	2656	800	224	800	1696	832	2976	832	3008	832	2752	832	3008	832				
3.5	2976	832	2464	768	96	768	1376	832	2944	832	2976	832	2624	832	2944	832				
3.75	2980	832	2208	736	0	736	1120	832	2816	832	2848	832	2496	832	2816	832				
4	2720	832	1888	736	0	736	896	832	2624	832	2656	832	2336	832	2624	832				
4.25	2464	832	1504	704	0	704	672	832	2368	832	2432	832	2144	832	2368	832				
4.5	2176	832	1088	672	0	672	512	832	2080	832	2112	832	1920	832	2080	832				
4.75	1864	832	736	640	0	640	352	832	1792	832	1792	832	1680	832	1792	832				
5	1536	832	480	608	0	608	256	800	1504	832	1472	832	1472	832	1472	832				





被干渉: ANSI_M2 (ISDN重量)

換算線路長 [km]	干渉なし		自己漏話 (局提供)		与干渉回線															
					G.992.2		Annex F (電話重量)		Annex F (ISDN重量)		Annex F (1.1MHz以下Off)		M2 (ISDN重量)		M2 (1.1MHz以下Off)					
	DS	US	DS	US	DS	US	DS	US	DS	US	DS	US	DS	US	DS	US				
0	49856	37536	49856	37536	46912	36704	47744	30400	49856	30400	49856	30400	49856	21728	49856	21728				
0.05	49856	37536	43360	28736	46880	36704	47680	30400	49824	30400	49824	30400	46144	21728	46144	21728				
0.1	49856	37536	39328	24224	46848	36704	45152	30368	47296	30400	47296	30400	41312	21728	41312	21728				
0.15	49792	37536	36608	21728	46816	36704	41408	30368	43424	30400	43424	30400	36608	21728	36608	21728				
0.2	49600	37536	34656	19808	46784	36704	37440	30368	39424	30368	39424	30368	32032	21728	32032	21728				
0.25	49600	37536	32960	18336	46784	36704	33376	30304	35360	30368	35360	30368	26944	21728	26944	21728				
0.3	49600	37536	31680	17504	46752	36704	28216	30144	31200	30176	31200	30176	21056	21728	21056	21728				
0.35	49568	37536	30624	16416	46720	36704	23552	29760	25536	29792	25536	29792	17408	21664	17408	21664				
0.4	49472	37504	29664	15456	46688	36704	19776	29088	21760	29088	21760	29088	15808	21376	15904	21376				
0.45	49376	37440	28384	14528	46656	36704	17792	27328	19744	27360	19744	27360	14144	20896	14336	20896				
0.5	49344	37440	27488	13632	46624	34624	16512	24448	18400	24480	18400	24480	12128	20128	12448	20128				
0.75	41216	17248	20992	5632	35040	12768	10080	9120	11968	9152	11968	9152	6880	7872	8096	7872				
1	25600	8288	15840	3360	19936	6144	7072	3840	8832	3872	8832	3872	3904	4096	6176	4096				
1.25	20000	2016	13120	512	12448	0	5152	480	6720	512	6912	512	2208	512	5536	512				
1.5	14048	416	9600	416	5568	0	3488	416	4864	416	5600	416	1056	416	4864	416				
1.75	10176	352	7232	352	2624	0	2112	320	3200	352	4704	352	352	352	4320	352				
2	7936	256	5760	256	1376	0	1056	256	1792	256	4128	256	256	256	3872	256				
2.25	6304	160	4608	160	288	0	384	160	960	160	3712	160	0	160	3488	160				
2.5	4896	64	3552	64	0	0	64	64	416	64	3200	64	0	64	3040	64				
2.75	3616	32	2592	32	0	0	0	32	96	32	2560	32	0	32	2400	32				
3	2400	0	1696	0	0	0	0	0	0	0	1760	0	0	0	1664	0				
3.25	1344	0	928	0	0	0	0	0	0	0	1056	0	0	0	960	0				
3.5	640	0	416	0	0	0	0	0	0	0	512	0	0	0	416	0				
3.75	224	0	96	0	0	0	0	0	0	0	128	0	0	0	96	0				
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
4.25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
4.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
4.75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				



被干渉: ANSI_M2 (1.1MHz以下ANSI_M2 (1.1MHz以下Off))

換算線路長 [km]	干渉なし		自己漏話 (局提供)		与干渉回線															
					G.992.2		Annex F (電話重量)		Annex F (ISDN重量)		Annex F (1.1MHz以下Off)		M2 (ISDN重量)		M2 (1.1MHz以下Off)					
	DS	US	DS	US	DS	US	DS	US	DS	US	DS	US	DS	US	DS	US				
0	49856	37536	49632	37536	43936	36704	43872	30400	46944	30400	49824	30400	45632	21728	49568	21728				
0.05	49856	37536	42912	28736	43904	36704	43776	30400	46848	30400	49536	30400	41856	21728	45696	21728				
0.1	49696	37536	38784	24224	43872	36704	41248	30368	44128	30400	46848	30400	36928	21728	40768	21728				
0.15	49312	37536	35840	21728	43840	36704	37472	30368	40160	30400	42816	30400	32128	21728	35840	21728				
0.2	49152	37536	33792	19808	43776	36704	33504	30368	36096	30368	38656	30368	27520	21728	31168	21728				
0.25	48928	37536	31872	18336	43744	36704	29440	30304	31904	30368	34432	30368	22336	21728	25956	21728				
0.3	48736	37536	30432	17504	43712	36704	25248	30144	27616	30176	30080	30176	16384	21728	19840	21728				
0.35	48544	37536	29280	16416	43680	36704	19584	29760	21888	29792	24288	29792	12672	21664	16064	21664				
0.4	48288	37504	28096	15456	43616	36704	15776	29088	18016	29088	20352	29088	11072	21376	14208	21376				
0.45	48064	37440	26888	14528	43584	36704	13760	27328	15872	27360	18112	27360	9440	20896	12416	20896				
0.5	47840	37440	25800	13632	43552	34624	12480	24448	14432	24480	16576	24480	7552	20128	10336	20128				
0.75	38912	17248	18336	5632	31840	12768	5984	9120	7584	9152	9216	9152	3008	7872	4864	7872				
1	22336	8288	12320	3360	16640	6144	2944	3840	4064	3872	4800	3872	1088	4096	1824	4096				
1.25	16064	2016	9184	512	9088	0	1248	480	1920	512	2240	512	608	512	608	512				
1.5	9888	416	5760	416	2560	0	384	416	704	416	736	416	288	416	288	416				
1.75	5920	352	3520	352	480	0	320	128	320	128	352	128	96	352	96	352				
2	3648	256	2144	256	32	0	256	0	256	0	256	0	256	0	256	0				
2.25	1920	160	1152	160	0	0	160	0	160	0	160	0	160	0	160	0				
2.5	832	64	416	64	0	0	64	0	64	0	64	0	64	0	64	0				
2.75	224	32	32	32	0	0	32	0	32	0	32	0	32	0	32	0				
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
3.25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
3.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
3.75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
4.25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
4.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
4.75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				



換算線路長 [km]	局提供での自己通話										き線点設置同一方式から受ける影響									
	AnnexF(電話重畳) (局提供)		AnnexF(ISDN重畳) (局提供)		AnnexF(1.1MHz以下Off) (局提供)		M2(ISDN重畳) (局提供)		M2(1.1MHz以下Off) (局提供)		AnnexF(電話重畳)		AnnexF(ISDN重畳)		AnnexF(1.1MHz以下Off)		M2(ISDN重畳)		M2(1.1MHz以下Off)	
	DS	US	DS	US	DS	US	DS	US	DS	US	DS	US	DS	US	DS	US	DS	US	DS	US
0	49856	37184	49248	37216	48896	37216	49856	37536	49632	37536	49856	21408	49216	21440	48864	21440	49856	21728	49568	21728
0.05	43328	28384	42624	28416	42112	28416	43360	28736	42912	28736	46144	21408	45440	21440	44928	21440	46144	21728	45696	21728
0.1	39424	23808	38720	23808	37984	23808	39328	24224	38784	24224	41408	21312	40704	21344	39968	21344	41312	21728	40768	21728
0.15	36800	21312	35968	21312	35232	21312	36608	21728	35840	21728	36800	21312	35968	21312	35232	21312	36608	21728	35840	21728
0.2	34912	19360	33824	19360	32864	19360	34656	19808	33792	19808	32256	21280	31296	21312	30336	21312	32032	21728	31168	21728
0.25	33184	17824	32160	17856	31072	17856	32960	18336	31872	18336	27168	21216	26240	21216	25120	21216	26944	21728	25856	21728
0.3	31936	16960	30784	16992	29568	16992	31680	17504	30432	17504	21376	20992	20256	20992	19040	20992	21056	21728	19840	21728
0.35	30912	15712	29568	15744	28192	15744	30624	16416	29280	16416	17792	20544	16608	20544	15232	20544	17408	21664	16064	21664
0.4	29792	14592	28288	14624	26816	14624	29664	15456	28096	15456	16256	19712	15008	19744	13472	19744	15808	21376	14208	21376
0.45	28576	13376	26976	13376	25312	13376	28384	14528	26688	14528	14624	18080	13472	18112	11776	18112	14144	20896	12416	20896
0.5	27616	10048	25888	10080	24064	10080	27488	13632	25600	13632	12704	15008	11424	15008	9664	15008	12128	20128	10336	20128
0.75	19072	4384	16992	4384	14464	4384	20992	5632	18336	5632	7744	5664	5984	5696	4160	5696	6880	7872	4864	7872
1	16032	640	13792	672	10592	672	15840	3360	12320	3360	5120	800	3072	832	1216	832	3904	4096	1824	4096
1.25	12192	32	9536	32	6240	32	13120	512	9184	512	3616	32	1344	32	160	32	2208	512	608	512
1.5	9408	0	6368	0	3232	0	9600	416	5760	416	2624	0	448	0	0	0	1056	416	288	416
1.75	7584	0	4416	0	1536	0	7232	352	3520	352	1952	0	0	0	0	0	352	352	96	352
2	5952	0	2688	0	384	0	5760	256	2144	256	1440	0	0	0	0	0	0	256	0	256
2.25	4736	0	1504	0	0	0	4608	160	1152	160	1024	0	0	0	0	0	0	160	0	160
2.5	3808	0	704	0	0	0	3552	64	416	64	736	0	0	0	0	0	0	64	0	64
2.75	3040	0	224	0	0	0	2592	32	32	32	512	0	0	0	0	0	0	32	0	32
3	2432	0	0	0	0	0	1696	0	0	0	352	0	0	0	0	0	0	0	0	0
3.25	1952	0	0	0	0	0	928	0	0	0	224	0	0	0	0	0	0	0	0	0
3.5	1536	0	0	0	0	0	416	0	0	0	128	0	0	0	0	0	0	0	0	0
3.75	1184	0	0	0	0	0	96	0	0	0	32	0	0	0	0	0	0	0	0	0
4	864	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4.25	640	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4.5	448	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4.75	288	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	192	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

